

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Product form : Mixture  
 Product name : TURBODEC-BASECOAT-HT

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**1.2.1. Relevant identified uses**

No additional information available

**1.2.2. Uses advised against**

No additional information available

**1.3. Details of the supplier of the safety data sheet**

Sidec N.V.  
 Industrieweg 10  
 BE- 2490 Balen  
 BELGIE  
 T +32 14 81 50 01  
[safety@sidec.be](mailto:safety@sidec.be) - [www.sidec.eu](http://www.sidec.eu)

**1.4. Emergency telephone number**

| Country | Organisation/Company  | Address                      | Emergency number | Comment   |
|---------|---|------------------------------|------------------|---|
| Belgium | Centre Anti-Poisons/Antigifcentrum<br>, c/o Hôpital Central de la Base - Reine Astrid | Rue Bruyn 1<br>1120 Brussels | +32 70 245 245   | All urgent questions about poisoning: 070 245 245 (free, 24/7), or if unreachable tel 02 264 96 30 (normal rate). |

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Skin corrosion/irritation, Category 2 H315  
 Serious eye damage/eye irritation, Category 1 H318  
 Skin sensitisation, Category 1 H317  
 Full text of H- and EUH-statements: see section 16

**Adverse physicochemical, human health and environmental effects**

No additional information available

**2.2. Label elements**

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

Hazard pictograms (CLP) :



GHS05

GHS07

Signal word (CLP) :

Danger

Contains :

dipropylene glycol diacrylate; (Hydroxyethyl)methacrylate

# TURBODEC-BASECOAT-HT

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                |  |
|--------------------------------|--|
| Hazard statements (CLP)        | : H315 - Causes skin irritation.<br>H317 - May cause an allergic skin reaction.<br>H318 - Causes serious eye damage.   |
| Precautionary statements (CLP) | : P261 - Avoid breathing dust.<br>P264 - Wash hands, forearms and face thoroughly after handling.<br>P272 - Contaminated work clothing should not be allowed out of the workplace.<br>P280 - Wear protective clothing, protective gloves, eye protection.<br>P302+P352 - IF ON SKIN: Wash with plenty of water.<br>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

| Component                                  |   |
|--|---|
| dipropylene glycol diacrylate (57472-68-1) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII<br>This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| (Hydroxyethyl)methacrylate (868-77-9)      | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII<br>This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                          | Product identifier   | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-------------------------------|--|---------|---|
| dipropylene glycol diacrylate | CAS-No.: 57472-68-1<br>EC-No.: 260-754-3<br>REACH-no: 01-2119484629-21 | 60 – 70 | Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Skin Sens. 1, H317   |
| (Hydroxyethyl)methacrylate    | CAS-No.: 868-77-9<br>EC-No.: 212-782-2<br>EC Index-No.: 607-124-00-X   | 15 – 30 | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Skin Sens. 1, H317 |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                            |   |
|----------------------------|---|
| First-aid measures general | : Check the vital functions. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Unconscious: maintain adequate airway and respiration. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Do not leave affected person unattended. Prevent cooling by covering the victim (no warming up). |
|----------------------------|---|

# TURBODEC-BASECOAT-HT

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                       |  |
|---------------------------------------|--|
| First-aid measures after inhalation   | : IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.  |
| First-aid measures after skin contact | : Wash skin with soap and water. Take off immediately all contaminated clothing and wash it before reuse. Obtain medical assistance. Thoroughly clean shoes before re-using. Rinse immediately with plenty of water for 15 minutes. If skin irritation occurs: Get medical advice/attention. |
| First-aid measures after eye contact  | : Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Get immediate medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing.   |
| First-aid measures after ingestion    | : Immediately call a POISON CENTER/doctor. Do not induce vomiting without medical advice. Do not give an unconscious person anything to drink.   |

### 4.2. Most important symptoms and effects, both acute and delayed

|                  |   |
|------------------|---|
| Symptoms/effects | : No available data.  |
| Chronic symptoms | : Itching. skin irritation and erythema. Burning sensation. |

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

|                                |   |
|--------------------------------|---|
| Suitable extinguishing media   | : Water. carbon dioxide (CO <sub>2</sub> ). dry extinguishing powder. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.                                    |

### 5.2. Special hazards arising from the substance or mixture

|  |   |
|--|---|
| Hazardous decomposition products in case of fire | : Carbon oxides (CO, CO <sub>2</sub> ). |
|--|---|

### 5.3. Advice for firefighters

|                                |  |
|--------------------------------|--|
| Precautionary measures fire    | : Use water spray or fog for cooling exposed containers.   |
| Protection during firefighting | : Complete protective clothing. Use self-contained breathing apparatus and chemically protective clothing. |
| Other information              | : For further specification, refer to section 8 of the SDS.  |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

|                  |   |
|------------------|---|
| General measures | : Wear suitable protective clothing. Ensure adequate air ventilation. |
|------------------|---|

#### 6.1.1. For non-emergency personnel

|                      |  |
|----------------------|--|
| Protective equipment | : protective clothing. Protective gloves. Face-shield. Concerning personal protective equipment to use, see section 8. |
| Emergency procedures | : Evacuate area.   |

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

Prevent spreading in sewers. Do not allow product to spread into the environment.

### 6.3. Methods and material for containment and cleaning up

|                 |  |
|-----------------|--|
| For containment | : Stop leak without risks if possible. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Flush/dilute residue with water. |
|-----------------|--|

### 6.4. Reference to other sections

Concerning disposal elimination after cleaning, see section 13. Concerning personal protective equipment to use, see section 8.

# TURBODEC-BASECOAT-HT

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Provide local exhaust or general room ventilation. Handle and open container with care. Avoid contact with hot surfaces. all contamination.
- Hygiene measures : Observe normal hygiene standards.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep container tightly closed and dry. Store in original container or corrosive resistant and/or lined container. Protect from sunlight. Store away from heat. Protect against frost. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not use in a confined space until fresh air flow established/confirm that atmosphere is not flammable or oxygen deficient.
- Storage temperature : 4 – 40 °C

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

No additional information available

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

##### 8.1.4. DNEL and PNEC

| TURBODEC-BASECOAT-HT                     |                           |
|--|---------------------------|
| <b>DNEL/DMEL (Workers)</b>               |                           |
| Long-term - systemic effects, dermal     | 2.77 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation | 24.84 mg/m <sup>3</sup>   |
| <b>DNEL/DMEL (General population)</b>    |                           |
| Long-term - systemic effects, oral       | 2.08 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation | 7.24 mg/m <sup>3</sup>    |
| Long-term - systemic effects, dermal     | 1.66 mg/kg bodyweight/day |
| <b>PNEC (Water)</b>                      |                           |
| PNEC aqua (freshwater)                   | 0.0034 mg/l               |
| PNEC aqua (marine water)                 | 0.00034 mg/l              |
| PNEC aqua (intermittent, freshwater)     | 0.034 mg/l                |
| PNEC aqua (intermittent, marine water)   | 0.034 mg/l                |
| <b>PNEC (Sediment)</b>                   |                           |
| PNEC sediment (freshwater)               | 0.00884 mg/kg dwt         |
| <b>PNEC (Soil)</b>                       |                           |
| PNEC soil                                | 0.0013 mg/kg dwt          |

# TURBODEC-BASECOAT-HT

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### TURBODEC-BASECOAT-HT

#### PNEC (STP)

|                             |          |
|-----------------------------|----------|
| PNEC sewage treatment plant | 100 mg/l |
|-----------------------------|----------|

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Provide local exhaust or general room ventilation. Closed system.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment:

In case of splash hazard: safety glasses. Gloves.

##### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Avoid contact with skin and eyes. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Wear eye/face protection. Protective goggles

#### Eye protection

| Type           | Field of application | Characteristics    | Standard |
|----------------|----------------------|--------------------|----------|
| Safety goggles |                      | Protective goggles |          |

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Avoid contact with skin. Wear suitable protective clothing

##### Hand protection:

Wear suitable gloves. nitril rubber  $\geq 0.56$  mm ( $\geq 60$  min) . Polyethylene. Use no Latex. Gloves must be replaced after each use and whenever signs of wear or perforation appear. Barrier creams are not substitutes for body protection

#### Hand protection

| Type              | Material             | Permeation       | Thickness (mm) | Penetration | Standard |
|-------------------|----------------------|------------------|----------------|-------------|----------|
| Disposable gloves | Nitrile rubber (NBR) | 3 (> 60 minutes) | >0.56          |             |          |

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

Carry out operations in the open/under local exhaust/ventilation or with respiratory protection. In case of insufficient ventilation, wear suitable respiratory equipment

#### Respiratory protection

| Device         | Filter type                                      | Condition | Standard |
|----------------|--|-----------|----------|
| Full face mask | Type A - High-boiling (>65 °C) organic compounds |           |          |

#### 8.2.2.4. Thermal hazards

No additional information available

# TURBODEC-BASECOAT-HT

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke when using this product. The present safety data sheet is consistent with the specific conditions relied on to justify the registration of the substance in accordance with Article 17 or 18 of the REACH regulation. Wash hands and face before break and at end of works. Separate working clothes from town clothes. Launder separately.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                  |
|---|------------------|
| Physical state                                  | : Liquid         |
| Colour  | : yellowish.     |
| Appearance                                      | : clear.         |
| Odour   | : Ester.         |
| Odour threshold                                 | : Not available  |
| Melting point                                   | : Not available  |
| Freezing point                                  | : Not available  |
| Boiling point                                   | : Not available  |
| Flammability                                    | : Not available  |
| Lower explosion limit                           | : Not available  |
| Upper explosion limit                           | : Not available  |
| Flash point                                     | : Not available  |
| Auto-ignition temperature                       | : Not available  |
| Decomposition temperature                       | : Not available  |
| pH  | : Not available  |
| Viscosity, kinematic                            | : Not available  |
| Solubility                                      | : Not available  |
| Partition coefficient n-octanol/water (Log Kow) | : Not available  |
| Vapour pressure                                 | : Not available  |
| Vapour pressure at 50°C                         | : Not available  |
| Density   | : Not available  |
| Relative density                                | : Not available  |
| Relative vapour density at 20°C                 | : Not available  |
| Particle characteristics                        | : Not applicable |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : 0 %

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Polymerisation risk.

### 10.4. Conditions to avoid

Protect from sunlight. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid shock and friction.

### 10.5. Incompatible materials

Oxidizing agents and acids. Strong bases.

# TURBODEC-BASECOAT-HT

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 10.6. Hazardous decomposition products

carbon oxides (CO and CO<sub>2</sub>). hydrocarbons. fume.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### TURBODEC-BASECOAT-HT

|                    |            |
|--------------------|------------|
| LD50 oral rat      | 3530 mg/kg |
| LD50 dermal rabbit | > 2000     |

#### dipropylene glycol diacrylate (57472-68-1)

|                    |            |
|--------------------|------------|
| LD50 oral rat      | 3530 mg/kg |
| LD50 dermal rabbit | > 2000     |

#### (Hydroxyethyl)methacrylate (868-77-9)

|                    |   |
|--------------------|---|
| LD50 oral rat      | 5564 mg/kg bodyweight (Rat, Experimental value, Oral)         |
| LD50 dermal rabbit | > 5000 mg/kg (24 h, Rabbit, Male, Experimental value, Dermal) |

Skin corrosion/irritation : Causes skin irritation.  
Serious eye damage/irritation : Causes serious eye damage.  
Respiratory or skin sensitisation : May cause an allergic skin reaction.  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified  
Aspiration hazard : Not classified

#### dipropylene glycol diacrylate (57472-68-1)

|                      |                          |
|----------------------|--------------------------|
| Viscosity, kinematic | 9.321 mm <sup>2</sup> /s |
|----------------------|--------------------------|

#### (Hydroxyethyl)methacrylate (868-77-9)

|                      |                        |
|----------------------|------------------------|
| Viscosity, kinematic | 6.4 mm <sup>2</sup> /s |
|----------------------|------------------------|

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

No additional information available

#### 11.2.2. Other information

Potential adverse human health effects and symptoms : Causes skin irritation, May cause respiratory irritation, Causes serious eye damage.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Not considered hazardous.  
Ecology - air : Fluorinated greenhouse gases - (EC) No 517/2014. Not dangerous for the ozone layer.  
None.  
Ecology - water : Harmful to aquatic life. Prevent soil and water pollution.

# TURBODEC-BASECOAT-HT

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

| TURBODEC-BASECOAT-HT               |               |
|------------------------------------|---------------|
| LC50 - Fish [1]                    | 1 – 10 mg/l   |
| EC50 - Crustacea [1]               | 10 – 100 mg/l |
| EC50 - Other aquatic organisms [1] | > 1000 mg/l   |
| EC50 72h - Algae [1]               | 10 – 100 mg/l |
| ErC50 algae                        | 2.2 mg/l      |

| dipropylene glycol diacrylate (57472-68-1) |               |
|--|---------------|
| LC50 - Fish [1]                            | 1 – 10 mg/l   |
| EC50 - Crustacea [1]                       | 10 – 100 mg/l |
| EC50 - Other aquatic organisms [1]         | > 1000 mg/l   |
| EC50 72h - Algae [1]                       | 10 – 100 mg/l |
| ErC50 algae                                | 2.2 mg/l      |

| (Hydroxyethyl)methacrylate (868-77-9) |   |
|---------------------------------------|---|
| LC50 - Fish [1]                       | > 100 mg/l (OECD 203: Fish: acute toxicity study, 96 h, Oryzias latipes, Semi-static system, Fresh water, Experimental value, GLP)              |
| EC50 - Crustacea [1]                  | 380 mg/l (OECD 202: Acute Immobilization Study in Daphnia sp., 48 h, Daphnia magna, Static System, Fresh Water, Experimental Value, GLP)        |
| ErC50 algae                           | 836 mg/l (OECD 201: Algae: growth inhibition study, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) |

### 12.2. Persistence and degradability

| TURBODEC-BASECOAT-HT          |                                 |
|-------------------------------|---------------------------------|
| Persistence and degradability | Readily biodegradable in water. |
| Biodegradation                | > 70 (≥ 28) %                   |

| dipropylene glycol diacrylate (57472-68-1) |                                 |
|--|---------------------------------|
| Persistence and degradability              | Readily biodegradable in water. |
| Biodegradation                             | > 70 (≥ 28) %                   |

| (Hydroxyethyl)methacrylate (868-77-9) |  |
|---------------------------------------|--|
| Persistence and degradability         | Readily biodegradable in water. Biodegradability in soil: no data available. |

### 12.3. Bioaccumulative potential

| TURBODEC-BASECOAT-HT      |                                    |
|---------------------------|------------------------------------|
| Bioaccumulative potential | Potential to bioaccumulate is low. |

| dipropylene glycol diacrylate (57472-68-1)      |   |
|---|---|
| Partition coefficient n-octanol/water (Log Pow) | 2.28 (Experimental value, EU method A.8: Partition coefficient, 24 ° C) |
| Partition coefficient n-octanol/water (Log Kow) | 0.01 – 0.39   |
| Bioaccumulative potential                       | Potential to bioaccumulate is low.                                      |



# TURBODEC-BASECOAT-HT

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| <b>(Hydroxyethyl)methacrylate (868-77-9)</b>    |   |
|---|---|
| BCF - Fish [1]                                  | 1.3 – 1.5 (Pisces, Calculated value)  |
| Partition coefficient n-octanol/water (Log Pow) | 0.42 (Experimental value, OECD 107: Partition coefficient (n-octanol / water): Shake bottle method, 25 ° C) |
| Bioaccumulative potential                       | No bioaccumulation expected.  |

### 12.4. Mobility in soil

| <b>TURBODEC-BASECOAT-HT</b>                                |         |
|--|---------|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1       |
| Ecology - soil   | Mobile. |

| <b>dipropylene glycol diacrylate (57472-68-1)</b>          |         |
|--|---------|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1       |
| Ecology - soil   | Mobile. |

| <b>(Hydroxyethyl)methacrylate (868-77-9)</b> |                     |
|--|---------------------|
| Ecology - soil                               | Adsorption in soil. |

### 12.5. Results of PBT and vPvB assessment

| <b>TURBODEC-BASECOAT-HT</b>  |  |
|--|--|
| This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII  |  |
| This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |  |

| <b>Component</b>                           |   |
|--|---|
| dipropylene glycol diacrylate (57472-68-1) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII<br>This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| (Hydroxyethyl)methacrylate (868-77-9)      | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII<br>This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

|  |   |
|--|---|
| Waste treatment methods                    | : Dispose in a safe manner in accordance with local/national regulations. Dispose of solid residues at an authorized site.              |
| Sewage disposal recommendations            | : Disposal must be done according to official regulations. Do not allow into drains or water courses. Avoid release to the environment. |
| Product/Packaging disposal recommendations | : Dispose in a safe manner in accordance with local/national regulations.   |
| European List of Waste (LoW) code          | : 15 01 10* - packaging containing residues of or contaminated by dangerous substances  |

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

# TURBODEC-BASECOAT-HT

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 14.1. UN number or ID number

|               |                  |
|---------------|------------------|
| UN-No. (ADR)  | : Not applicable |
| UN-No. (IMDG) | : Not applicable |
| UN-No. (IATA) | : Not applicable |
| UN-No. (ADN)  | : Not applicable |
| UN-No. (RID)  | : Not applicable |

### 14.2. UN proper shipping name

|                             |                  |
|-----------------------------|------------------|
| Proper Shipping Name (ADR)  | : Not applicable |
| Proper Shipping Name (IMDG) | : Not applicable |
| Proper Shipping Name (IATA) | : Not applicable |
| Proper Shipping Name (ADN)  | : Not applicable |
| Proper Shipping Name (RID)  | : Not applicable |

### 14.3. Transport hazard class(es)

**ADR**  
Transport hazard class(es) (ADR) : Not applicable

**IMDG**  
Transport hazard class(es) (IMDG) : Not applicable

**IATA**  
Transport hazard class(es) (IATA) : Not applicable

**ADN**  
Transport hazard class(es) (ADN) : Not applicable

**RID**  
Transport hazard class(es) (RID) : Not applicable

### 14.4. Packing group

|                      |                  |
|----------------------|------------------|
| Packing group (ADR)  | : Not applicable |
| Packing group (IMDG) | : Not applicable |
| Packing group (IATA) | : Not applicable |
| Packing group (ADN)  | : Not applicable |
| Packing group (RID)  | : Not applicable |

### 14.5. Environmental hazards

|                               |  |
|-------------------------------|--|
| Dangerous for the environment | : No                                     |
| Marine pollutant              | : No                                     |
| Other information             | : No supplementary information available |

### 14.6. Special precautions for user

#### Overland transport

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

#### Rail transport

Not applicable

# TURBODEC-BASECOAT-HT

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### VOC Directive (2004/42)

VOC content : 0 %

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

##### Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).  
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

##### Netherlands

SZW list of carcinogenic substances : None of the components are listed  
SZW list of mutagenic substances : None of the components are listed  
SZW list of reprotoxic substances - Breastfeeding : None of the components are listed  
SZW list of reprotoxic substances - Fertility : None of the components are listed  
SZW List of reprotoxic substances - Development : None of the components are listed

##### Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

### Full text of H- and EUH-statements:

|            |   |
|------------|---|
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
|------------|---|

# TURBODEC-BASECOAT-HT

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: |   |
|-------------------------------------|---|
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2 |
| H315                                | Causes skin irritation.                       |
| H317                                | May cause an allergic skin reaction.          |
| H318                                | Causes serious eye damage.                    |
| H319                                | Causes serious eye irritation.                |
| Skin Irrit. 2                       | Skin corrosion/irritation, Category 2         |
| Skin Sens. 1                        | Skin sensitisation, Category 1                |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.