

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Product name : EPG-B

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Siddec
 Industrieweg 10
 2490 Balen - BELGIE
 T +32 14 81 50 01
safety@sidec.be - www.sidec.eu

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number |
|---------|---|---------------------------------------|------------------|
| Belgium | Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid | Rue Bruyn 1 1120 Bruxelles/Brussel | +32 70 245 245 |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral) H302
 Skin Corr. 1 H314
 Eye Dam. 1 H318
 Skin Sens. 1 H317
 Repr. 2 H361d
 Aquatic Chronic 3 H412

Full text of H statements : see section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05 GHS07 GHS08

Signal word (CLP) :

Danger

Hazardous ingredients :

m-fenyleenbis(methylamine); 3-aminomethyl-3,5,5-trimethylcyclohexylamine; Phenol, styrenated; Salicyl zuur; Benzylic alcohol

Hazard statements (CLP) :

H302 - Harmful if swallowed.
 H314 - Causes severe skin burns and eye damage.
 H317 - May cause an allergic skin reaction.
 H361d - Suspected of damaging the unborn child.
 H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P201 - Obtain special instructions before use.
 P202 - Do not handle until all safety precautions have been read and understood.
 P260 - Do not breathe vapours, gas, mist, fume, spray, dust.
 P264 - Wash hands, forearms and face thoroughly after handling.
 P270 - Do not eat, drink or smoke when using this product.
 P272 - Contaminated work clothing should not be allowed out of the workplace.

EPG-B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|----------|---|
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine | (CAS-No.) 2855-13-2 (EC-No.) 220-666-8 (EC Index-No.) 612-067-00-9 (REACH-no) 01-2119514687-32 | 25 - 50 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Sens. 1, H317 Aquatic Chronic 3, H412 |
| Benzyl alcohol | (CAS-No.) 100-51-6 (EC-No.) 202-859-9 (EC Index-No.) 603-057-00-5 (REACH-no) 01-2119492630-38 | 25 - 50 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 |
| m-fenyleenbis(methylamine) | (CAS-No.) 1477-55-0 (EC-No.) 216-032-5 (REACH-no) 01-2119480150-50 | 10 - 25 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1, H314 Skin Sens. 1, H317 Aquatic Chronic 3, H412 |
| Phenol, styrenated | (CAS-No.) 61788-44-1 (EC-No.) 262-975-0 (REACH-no) 01-2119980970-27 | 2,5 - 10 | Aquatic Chronic 2, H411 |
| Salicyl zuur | (CAS-No.) 69-72-7 (EC-No.) 200-712-3 (REACH-no) 01-2119486984-17 | 2,5 - 10 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Repr. 2, H361d |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : Remove contaminated clothes. |
| First-aid measures after inhalation | : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell. |
| First-aid measures after skin contact | : Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Get immediate medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. |
| First-aid measures after ingestion | : Drink plenty of water. Get medical advice/attention if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing media | : Carbon dioxide. Water. Powder. Alcohol resistant foam. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Special hazards arising from the substance or mixture

| | |
|--|--------------------------------|
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |
|--|--------------------------------|

5.3. Advice for firefighters

| | |
|--------------------------------|---|
| Protection during firefighting | : [In case of inadequate ventilation] wear respiratory protection. |
| Other information | : Dispose in a safe manner in accordance with local/national regulations. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|------------------|----------------------------------|
| General measures | : Personal protective equipment. |
|------------------|----------------------------------|

EPG-B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage.
- Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Concerning disposal elimination after cleaning, see section 13.
- Other information : Provide adequate ventilation.

6.4. Reference to other sections

Clean contaminated surfaces with a soap solution. Clean contaminated surfaces with an excess of water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Provide local exhaust or general room ventilation. Ensure adequate ventilation.
- Hygiene measures : Take off contaminated clothing.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : The floor of the depot should be impermeable and designed to form a water-tight basin.
- Storage conditions : Keep only in original container.
- Information on mixed storage : Keep away from food, drink and animal feeding stuffs.
- Storage area : Store in a well-ventilated place.
- Special rules on packaging : Store in tightly closed containers.

7.3. Specific end use(s)

No supplementary information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| m-fenyleenbis(methylamine) (1477-55-0) | | |
|--|---------------------------------------|-----------------------|
| Belgium | Short time value (mg/m ³) | 0,1 mg/m ³ |
| France | VLE (mg/m ³) | 0,1 mg/m ³ |
| USA - ACGIH | ACGIH Ceiling (mg/m ³) | 0,1 mg/m ³ |

8.2. Exposure controls

- Appropriate engineering controls : Keep away from food, drink and animal feeding stuffs. Remove contaminated clothes. Wash hands before break and at end of works. Avoid contact with skin and eyes.
- Personal protective equipment : Safety glasses. Gloves. Extra personal protection: A/P2 filter respirator for organic vapour and harmful dust.
- Materials for protective clothing : Wear suitable protective clothing
- Hand protection : Gloves must be replaced after each use and whenever signs of wear or perforation appear. Nitrile rubber gloves. Neoprene/viton®. Polyvinylchloride (PVC). Layer thickness : >0,5mm. unsuitable materials: leather gloves, thick fabric gloves. Since the product consists of several substances, the durability of the glove material cannot be estimated and needs to be tested before use
- Eye protection : Protective goggles
- Skin and body protection : Wear suitable protective clothing
- Respiratory protection : In case of inadequate ventilation wear respiratory protection. Extra personal protection: P2 filter respirator for harmful particles



EPG-B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|--------------------------------|
| Physical state | : Liquid |
| Colour | : yellowish. |
| Odour | : No data available |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : > 200 °C |
| Flash point | : > 100 °C |
| Auto-ignition temperature | : 380 °C |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : 1,06 |
| Relative density | : No data available |
| Density | : 1,044 g/cm ³ 24°C |
| Solubility | : Poorly soluble in water. |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : 300 mPa·s |
| Explosive properties | : No direct explosion hazard. |
| Oxidising properties | : No data available |
| Explosive limits | : 1,2 vol % 13 vol % |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No supplementary information available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and acids. Stable under normal conditions.

10.4. Conditions to avoid

No supplementary information available.

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

None under normal use. In case of fire: Toxic gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Harmful if swallowed.

| | |
|---|-----------------------------|
| ATE CLP (oral) | 463,755 mg/kg bodyweight |
| m-fenyleenbis(methylamine) (1477-55-0) | |
| LD50 oral rat | 200 - 2000 mg/kg bodyweight |
| LD50 dermal rat | > 3100 mg/kg bodyweight |
| LD50 dermal rabbit | 2000 mg/kg |
| LC50 inhalation rat (mg/l) | 1,34 mg/l |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2) | |
| LD50 oral rat | 1030 mg/kg |

EPG-B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| 3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2) | |
|---|-------------------------|
| LD50 dermal rat | > 2000 mg/kg bodyweight |
| LC50 inhalation rat (mg/l) | > 5,01 mg/l/4h |

| Salicyl zuur (69-72-7) | |
|-------------------------------|----------------------|
| LD50 oral rat | 891 mg/kg bodyweight |
| LD50 dermal rat | > 2000 mg/kg |
| LD50 dermal rabbit | > 10000 mg/kg |

| Benzyl alcohol (100-51-6) | |
|----------------------------------|-----------------------|
| LD50 oral rat | 1620 mg/kg bodyweight |
| LD50 dermal rabbit | > 2000 mg/kg |
| LC50 inhalation rat (mg/l) | > 4,178 mg/l air |

| | |
|-----------------------------------|--|
| Skin corrosion/irritation | : Causes severe skin burns and eye damage. |
| Serious eye damage/irritation | : Causes serious eye damage. |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Based on available data, the classification criteria are not met |
| Carcinogenicity | : Based on available data, the classification criteria are not met |
| Reproductive toxicity | : Based on available data, the classification criteria are not met |
| STOT-single exposure | : Based on available data, the classification criteria are not met |
| STOT-repeated exposure | : Based on available data, the classification criteria are not met |
| Aspiration hazard | : Based on available data, the classification criteria are not met |

| EPG-B | |
|----------------------|----------------------------|
| Viscosity, kinematic | 287,356 mm ² /s |

SECTION 12: Ecological information

12.1. Toxicity

| Phenol, styrenated (61788-44-1) | |
|--|--------------|
| EC50 Daphnia 1 | > 0,249 mg/l |
| Threshold limit algae 1 | 0,326 mg/l |
| Threshold limit algae 2 | 0,14 mg/l |

| m-fenyleenbis(methylamine) (1477-55-0) | |
|---|------------|
| LC50 fish 1 | 87,6 mg/l |
| EC50 Daphnia 1 | 15,2 mg/l |
| LC50 fish 2 | > 100 mg/l |
| ErC50 (algae) | 33,3 mg/l |
| Threshold limit algae 1 | 12 mg/l |

| 3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2) | |
|---|----------|
| LC50 fish 1 | 110 mg/l |
| EC50 Daphnia 1 | 23 mg/l |
| LC50 fish 2 | 110 mg/l |
| NOEC chronic crustacea | 23 |
| NOEC chronic algae | 1,5 mg/l |

| Salicyl zuur (69-72-7) | |
|-------------------------------|------------|
| LC50 fish 1 | 90 mg/l |
| EC50 Daphnia 1 | 870 mg/l |
| Threshold limit algae 1 | > 100 mg/l |

| Benzyl alcohol (100-51-6) | |
|----------------------------------|----------|
| LC50 fish 1 | 460 mg/l |
| EC50 Daphnia 1 | 230 mg/l |
| LC50 fish 2 | 10 mg/l |
| ErC50 (algae) | 770 mg/l |
| Threshold limit algae 1 | 640 mg/l |

12.2. Persistence and degradability

| EPG-B | |
|-------------------------------|---|
| Persistence and degradability | No supplementary information available. |

EPG-B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Salicyl zuur (69-72-7) | |
|---------------------------------|-------------------------------------|
| Biochemical oxygen demand (BOD) | 0,95 g O ₂ /g substance |
| Chemical oxygen demand (COD) | 1,58 g O ₂ /g substance |
| ThOD | 1,623 g O ₂ /g substance |
| BOD (% of ThOD) | 0,41 - 0,60 |

| Benzylic alcohol (100-51-6) | |
|------------------------------------|-----------------------------------|
| Biochemical oxygen demand (BOD) | 1,6 g O ₂ /g substance |
| Chemical oxygen demand (COD) | 2,4 g O ₂ /g substance |
| ThOD | 2,5 g O ₂ /g substance |

12.3. Bioaccumulative potential

| EPG-B | |
|---------------------------|---|
| Bioaccumulative potential | No supplementary information available. |

| Phenol, styrenated (61788-44-1) | |
|--|-------------|
| Log Pow | 6,24 - 7,77 |

| m-fenyleenbis(methylamine) (1477-55-0) | |
|---|-------|
| BCF fish 1 | < 2,7 |
| Log Pow | 0,18 |

| 3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2) | |
|---|------|
| BCF other aquatic organisms 1 | 3,16 |
| Log Pow | 0,99 |

| Salicyl zuur (69-72-7) | |
|-------------------------------|------|
| Log Pow | 2,25 |

| Benzylic alcohol (100-51-6) | |
|------------------------------------|---------|
| Log Pow | 1 - 1,1 |

12.4. Mobility in soil

| EPG-B | |
|----------------|---|
| Ecology - soil | No supplementary information available. |

| m-fenyleenbis(methylamine) (1477-55-0) | |
|---|------|
| Log Koc | 3,11 |

| 3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2) | |
|---|----------|
| Surface tension | 3,47 N/m |

| Benzylic alcohol (100-51-6) | |
|------------------------------------|---------|
| Surface tension | 39 mN/m |

12.5. Results of PBT and vPvB assessment

| Component | |
|--|---|
| m-fenyleenbis(methylamine) (1477-55-0) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine (2855-13-2) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| Benzylic alcohol (100-51-6) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

12.6. Other adverse effects

Additional information : danger for water. Do not discharge into drains or rivers. Danger of pollution of drinking water when product enters the soil. Harmful to aquatic organisms

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose in a safe manner in accordance with local/national regulations.
 Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
 European List of Waste (LoW) code : 08 00 00 - WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
 08 02 00 - wastes from MFSU of other coatings (including ceramic materials)

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

EPG-B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.1. UN number

UN-No. (ADR) : 2735
UN-No. (IMDG) : 2735
UN-No. (IATA) : 2735
UN-No. (ADN) : 2735
UN-No. (RID) : 2735

14.2. UN proper shipping name

Proper Shipping Name (ADR) : AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IMDG) : AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (IATA) : Amines, liquid, corrosive, n.o.s.
Proper Shipping Name (ADN) : AMINES, LIQUID, CORROSIVE, N.O.S.
Proper Shipping Name (RID) : AMINES, LIQUID, CORROSIVE, N.O.S.
Transport document description (ADR) : UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (m-fenyleenbis(methylamine)), 8, II, (E)
Transport document description (IMDG) : UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (m-fenyleenbis(methylamine)), 8, II

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8
Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8
Danger labels (RID) : 8

EPG-B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



14.4. Packing group

| | |
|----------------------|------|
| Packing group (ADR) | : II |
| Packing group (IMDG) | : II |
| Packing group (IATA) | : II |
| Packing group (ADN) | : II |
| Packing group (RID) | : II |

14.5. Environmental hazards

| | |
|-------------------------------|--|
| Dangerous for the environment | : No |
| Marine pollutant | : No |
| Other information | : No supplementary information available |

14.6. Special precautions for user

- Overland transport

| | |
|---|---|
| Classification code (ADR) | : C7 |
| Special provisions (ADR) | : 274 |
| Limited quantities (ADR) | : 1I |
| Excepted quantities (ADR) | : E2 |
| Packing instructions (ADR) | : P001, IBC02 |
| Mixed packing provisions (ADR) | : MP15 |
| Portable tank and bulk container instructions (ADR) | : T11 |
| Portable tank and bulk container special provisions (ADR) | : TP1, TP27 |
| Tank code (ADR) | : L4BN |
| Vehicle for tank carriage | : AT |
| Transport category (ADR) | : 2 |
| Hazard identification number (Kemler No.) | : 80 |
| Orange plates | :  |
| Tunnel restriction code (ADR) | : E |
| EAC code | : 2X |
| APP code | : B |

- Transport by sea

| | |
|------------------------------------|--|
| Special provisions (IMDG) | : 274 |
| Limited quantities (IMDG) | : 1 L |
| Excepted quantities (IMDG) | : E2 |
| Packing instructions (IMDG) | : P001 |
| IBC packing instructions (IMDG) | : IBC02 |
| Tank instructions (IMDG) | : T11 |
| Tank special provisions (IMDG) | : TP1, TP27 |
| EmS-No. (Fire) | : F-A |
| EmS-No. (Spillage) | : S-B |
| Stowage category (IMDG) | : A |
| Properties and observations (IMDG) | : Colourless to yellowish liquids or solutions with a pungent odour. Miscible with or soluble in water. When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. Reacts violently with acids. Cause burns to skin, eyes and mucous membranes. |

- Air transport

| | |
|--------------------------------|--------|
| PCA Excepted quantities (IATA) | : E2 |
| PCA Limited quantities (IATA) | : Y840 |

EPG-B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--|--------|
| PCA limited quantity max net quantity (IATA) | : 0.5L |
| PCA packing instructions (IATA) | : 851 |
| PCA max net quantity (IATA) | : 1L |
| CAO packing instructions (IATA) | : 855 |
| CAO max net quantity (IATA) | : 30L |
| Special provisions (IATA) | : A3 |
| ERG code (IATA) | : 8L |

- Inland waterway transport

| | |
|-----------------------------------|----------|
| Classification code (ADN) | : C7 |
| Special provisions (ADN) | : 274 |
| Limited quantities (ADN) | : 1 L |
| Excepted quantities (ADN) | : E2 |
| Carriage permitted (ADN) | : T |
| Equipment required (ADN) | : PP, EP |
| Number of blue cones/lights (ADN) | : 0 |
| Carriage prohibited (ADN) | : No |
| Not subject to ADN | : No |

- Rail transport

| | |
|---|---------------|
| Classification code (RID) | : C7 |
| Special provisions (RID) | : 274 |
| Limited quantities (RID) | : 1L |
| Excepted quantities (RID) | : E2 |
| Packing instructions (RID) | : P001, IBC02 |
| Mixed packing provisions (RID) | : MP15 |
| Portable tank and bulk container instructions (RID) | : T11 |
| Portable tank and bulk container special provisions (RID) | : TP1, TP27 |
| Tank codes for RID tanks (RID) | : L4BN |
| Transport category (RID) | : 2 |
| Colis express (express parcels) (RID) | : CE6 |
| Hazard identification number (RID) | : 80 |
| Carriage prohibited (RID) | : No |

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)
12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed
SZW-lijst van mutagene stoffen : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

EPG-B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : Salicyl zuur is listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

Not determined.

SECTION 16: Other information

Other information : This sheet information describes security recommendations valid for our product. It is not to take as any liability concerning proprieties of our product.

Full text of H- and EUH-statements:

| | |
|-------------------------------------|---|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Repr. 2 | Reproductive toxicity, Category 2 |
| Skin Corr. 1 | Skin corrosion/irritation, Category 1 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H332 | Harmful if inhaled. |
| H361d | Suspected of damaging the unborn child. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.