

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010 Issue date: 30/11/2015 Revision date: 13/07/2018 Supersedes version of: 30/11/2015

Version: 2.0

SECTION 1: Identificat	ion of the substance/mixture and of	the company/undertaki	ing
1.1. Product identifier			
Product form	: Mixture		
Product name	: EQC-A		
Product group	: Trade product		
1.2. Relevant identified	uses of the substance or mixture and uses a	dvised against	
1.2.1.Relevant identifiedNo additional information avail			
<b>1.2.2.</b> Uses advised again No additional information avail			
1.3. Details of the supp	lier of the safety data sheet		
Sidec Industrieweg 10 2490 Balen - BELGIE T +32 14 81 50 01 <u>safety@sidec.be</u> - <u>www.sidec.</u>	<u>eu</u>		
1.4. Emergency telepho	one number		
Country	Organisation/Company	Address	Emergency number
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 1120 Bruxelles/Brussel	+32 70 245 245
SECTION 2: Hazards id	•		
	e substance or mixture		
	Regulation (EC) No. 1272/2008 [CLP]		
Skin Irrit. 2H315Eye Irrit. 2H319Skin Sens. 1H317Aquatic Chronic 2H411Full text of H statements : see	section 16		
2.2. Label elements			
Hazard pictograms (CLP)	Ilation (EC) No. 1272/2008 [CLP]	37	
Signal word (CLP)	: Warning		
Hazardous ingredients	ether; Formaldehyde, olig	omeric reaction products with 1	loromethyl)oxirane; Tridecyl glycidyl I-chloro-2,3-epoxypropane and phenol
Hazard statements (CLP)	: H315 - Causes skin irritat H317 - May cause an alle H319 - Causes serious ey H411 - Toxic to aquatic lif	rgic skin reaction. ⁄e irritation.	
Precautionary statements (CL	P264 - Wash hands, forea P272 - Contaminated wor P273 - Avoid release to th P280 - Wear protective cl	arms and face thoroughly after h k clothing should not be allowed	d out of the workplace.

2.3.	Other hazards		
No additio	onal information available		
15/07/2020		EN (English)	1/

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

### SECTION 3: Composition/information on ingredients

### 3.1. Substances

### Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2- (chloromethyl)oxirane	(CAS-No.) 25068-38-6 (EC-No.) 500-033-5 (EC Index-No.) 603-074-00-8 (REACH-no) 01-2119456619-26	50 – 75	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Formaldehyde, oligomeric reaction products with 1-chloro-2,3- epoxypropane and phenol	(CAS-No.) 9003-36-5 (EC-No.) 500-006-8 (REACH-no) 01-2119454392-40	25 – 35	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Tridecyl glycidyl ether	(CAS-No.) 68081-84-5 (REACH-no) 01-2120093508-47	10 – 20	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Specific concentration limits:			
Name	Product identifier	Specific co	ncentration limits
Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2- (chloromethyl)oxirane	(CAS-No.) 25068-38-6 (EC-No.) 500-033-5 (EC Index-No.) 603-074-00-8 (REACH-no) 01-2119456619-26	( 5 ≤C < 100) Skin Irrit. 2, H315 ( 5 ≤C < 100) Eye Irrit. 2, H319	

#### Full text of H-statements: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Artificial respiration and/or oxygen if necessary. Do not apply mouth-to-mouth resuscitation. If unconscious place in recovery position and seek medical advice. If irritation persists, consult a doctor. Loosen tight clothing such as a collar, tie, belt or waistband.		
First-aid measures after skin contact	: Rinse immediately with plenty of water for 15 minutes. Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Wash skin with soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash clothing before re-using. Thoroughly clean shoes before re-using.		
First-aid measures after eye contact	: Rinse immediately with plenty of water, also under the eyelids. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.		
First-aid measures after ingestion	: IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. If the person is fully conscious, make him/her drink water. Never give an unconscious person anything to drink. Take victim to fresh air, in a quiet place. If unconscious, place in the recovery position and seek medical advice. Do not apply mouth-to-mouth resuscitation. Loosen tight clothing such as a collar, tie, belt or waistband.		
4.2. Most important symptoms and effec	ts, both acute and delayed		
Symptoms/effects after inhalation	: No dangerous reactions known.		
Symptoms/effects after skin contact	: skin irritation. Allergic reactions. Redness.		
Symptoms/effects after eye contact	Severe eye irritation. Pain. Lacrimation. Redness.		
Symptoms/effects after ingestion	: May cause corrosion or irritation of the linings of the mouth, throat, and gastrointestinal tract.		
4.3. Indication of any immediate medical	attention and special treatment needed		
Treat symptomatically. Ingestion of large quantitie	es: immediately to hospital.		
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: None to our knowledge. If there is a fire close by, use suitable extinguishing agents.		
5.2. Special hazards arising from the sub	ostance or mixture		
Fire hazard	: Heating will cause rise in pressure with risk of bursting. Toxic to aquatic life with long lasting effects. Provision to contain effluent from fire extinguishing. Do not dispose of fire-fighting wate in the environment.		
Hazardous decomposition products in case of fire	: carbon oxides (CO and CO2). Halogenated compounds.		
5.3. Advice for firefighters			
Protection during firefighting	: Compressed air/oxygen apparatus. Flame Resistant Coveralls.		
15/07/2020	EN (English) 2/9		

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

		ith its amendment Regulation (EC) No. 453/2010
Other in	formation	: Keep public away. Provision to contain effluent from fire extinguishing. Do not allow run-off from fire fighting to enter drains or water courses.
SECT	ION 6: Accidental release mea	sures
6.1.	Personal precautions, protective eq	uipment and emergency procedures
General	measures	: Evacuate personnel to a safe area. Keep public away. Avoid all eye and skin contact and do not breathe vapour and mist. Ensure adequate air ventilation.
6.1.1. No addi	For non-emergency personnel tional information available	
6.1.2.	For emergency responders	
	ve equipment	: Wear self-contained breathing apparatus and protective suit (see section 8).
6.2.	Environmental precautions	
	the spilled material by bunding. Prevent ewers or public waters. Carefully collect	liquid from entering sewers, watercourses, underground or low areas. Notify authorities if product remainder.
6.3.	Methods and material for containme	ent and cleaning up
For cont	tainment	: Stop leak without risks if possible. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Avoid release to the environment. Approach from upwind. Dispose of at a licensed waste collection centre.
6.4.	Reference to other sections	
Refer to	protective measures listed in Sections 7	7 and 8. Concerning disposal elimination after cleaning, see section 13.
SECT	ION 7: Handling and storage	
7.1.	Precautions for safe handling	
Precaut	ions for safe handling	: Concerning personal protective equipment to use, see section 8. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid inhalation of vapour and spray mist. Keep only in original container. Handle and open container with care. Do not re-use empty containers. Contaminated work clothing should not be allowed out of the workplace.
7.2.	Conditions for safe storage, includi	ng any incompatibilities
Technic	al measures	: Store according to local legislation.
Storage	conditions	: Store in the original container and with the original cap. Protect from sunlight. Keep container closed when not in use. Do not re-use empty containers. Store in dry, cool, well-ventilated area
Information	tion on mixed storage	: Conditions for safe storage, including any incompatibilities.
Storage	area	: The floor of the depot should be impermeable and designed to form a water-tight basin. Store in a dry, cool and well-ventilated place. Store in tightly closed containers. Smoking, eating and drinking should be prohibited in areas of storage and use.
Special	rules on packaging	: correctly labelled. Containers which are opened should be properly resealed and kept upright to prevent leakage.
7.3.	Specific end use(s)	
No supp	plementary information available.	
SECT	ION 8: Exposure controls/pers	onal protection
8.1.	Control parameters	
No addi	tional information available	
8.2.	Exposure controls	
Appropr	iate engineering controls	: Exposure limit values have been established by many authorities. Check on limit values that apply in your local situation. No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation. Always wash your hands immediately after handling this product, and once again before leaving the workplace. Take off contaminated clothing. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Persona	al protective equipment	: Gloves. Protective goggles. Protective clothing.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Hand protection	: Gloves must be replaced after each use and whenever signs of wear or perforation appear. Chemically resistant protective gloves. The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Since the product consists of several substances, it is possible to estimate the durability of the glove material beforehand and it therefore needs to be tested before use. Material. 730 Camatril. 6 (> 480 minutes). 898 Butoject (>=480min)
Eye protection	: Protective goggles
Skin and body protection	: Wear suitable protective clothing. Impervious footwear must be worn
Respiratory protection	: not necessary. Only approved supplied air or self-contained breathing apparatus operated in positive pressure mode are satisfactory, if exposure can exceed the exposure limit value. In case of insufficient ventilation, wear suitable respiratory equipment



SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Colour	: light yellow.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: > 200 °C	
Flash point	: > 100 °C	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: < 0,1 hPa	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Density	: 1,13 g/cm <sup>3</sup>	
Solubility	: No data available	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: 800 – 1000 mPa·s	
Explosive properties	: No direct explosion hazard.	
Oxidising properties	: No data available	
Explosive limits	: No data available	
9.2. Other information		
VOC content	: 0 g/l	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Stable under normal conditions.		
10.2. Chemical stability		
Product is stable.		

10.3. Possibility of hazardous reactions

Hazardous polymerization may occur if exposed to high temperature.

#### 10.4. Conditions to avoid

No supplementary information available.

EQC-A

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

#### 10.5. Incompatible materials

No supplementary information available.

#### 10.6. Hazardous decomposition products

None under normal use.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	Not classified	
ATE CLP (oral)	2000 mg/kg bodyweight	
ATE CLP (dermal)	2000 mg/kg bodyweight	
Phenol, 4,4'-(1-methylethylidene)bis-, polyme	with 2-(chloromethyl)oxirane (25068-38-6)	
LD50 oral rat	11400 mg/kg	
LD50 dermal rat	2000 mg/kg	
Formaldehyde, oligomeric reaction products	with 1-chloro-2,3-epoxypropane and phenol (9003-36-5)	
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/irritation	Causes serious eye irritation.	
Respiratory or skin sensitisation	May cause an allergic skin reaction.	
Germ cell mutagenicity	Not classified	
Carcinogenicity	Not classified	
Reproductive toxicity	Not classified	
STOT-single exposure	Not classified	
STOT-repeated exposure	Not classified	
Aspiration hazard	Not classified	

SECTION 12: Ecological information	
12.1. Toxicity	
Phenol, 4,4'-(1-methylethylidene)bis-, polymer	r with 2-(chloromethyl)oxirane (25068-38-6)
LC50 fish 1	1,3 mg/l
EC50 Daphnia 1	2,1 mg/l
NOEC chronic crustacea	0,3 mg/l
Formaldehyde, oligomeric reaction products	with 1-chloro-2,3-epoxypropane and phenol (9003-36-5)
LC50 fish 1	2,54 mg/l
EC50 Daphnia 1	2,55 mg/l 202 Daphnia sp. Acute Immobilization Test and Reproduction Test
12.2. Persistence and degradability	
EQC-A	
Persistence and degradability	Product is practically not biodegradable.
<u>,</u>	router is practically not blodegradable.
12.3. Bioaccumulative potential	
EQC-A	
Bioaccumulative potential	No supplementary information available.
Phenol, 4,4'-(1-methylethylidene)bis-, polymer	r with 2-(chloromethyl)oxirane (25068-38-6)
Partition coefficient n-octanol/water (Log Pow)	2,64 – 3,78
Formaldehyde, oligomeric reaction products	with 1-chloro-2,3-epoxypropane and phenol (9003-36-5)
Partition coefficient n-octanol/water (Log Pow)	3,3
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
Other adverse effects	Toxic to fish.
Additional information	Hazardous to water (WGK 2). Do not flush into surface water or sewer system. Toxic to aquatic organisms

# EQC-A

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Regional legislation (waste)	: Disposal must be done according to official regulations.
Sewage disposal recommendations	: Must follow special treatment according to local regulation. Do not allow into drains or water courses.
Product/Packaging disposal recommendations Additional information Ecology - waste materials	<ul> <li>Do not re-use empty containers without proper cleaning or reconditioning. Handle carefully.</li> <li>Recycling is preferred to disposal or incineration.</li> <li>Avoid release to the environment.</li> </ul>

#### **SECTION 14: Transport information**

#### In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number	
UN-No. (ADR)	: 3082
UN-No. (IMDG)	: 3082
UN-No. (IATA)	: 3082
( )	
UN-No. (ADN)	: 3082
UN-No. (RID)	: 3082
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Proper Shipping Name (ADN)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Proper Shipping Name (RID)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document description (ADR)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy derivatives), 9, III, (E)
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy derivatives), 9, III, MARINE POLLUTANT
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 9
Danger labels (ADR)	: 9
- , ,	





#### IMDG

Transport hazard class(es) (IMDG) Danger labels (IMDG)

#### ΙΑΤΑ

Transport hazard class(es) (IATA) Danger labels (IATA)





according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Transport hazard class(es) (ADN)	: 9	
Danger labels (ADN)	: 9	
<b>č</b>		
	9	
	Y ∨	
RID		
	. 0	
Transport hazard class(es) (RID)	: 9 : 9	
Danger labels (RID)	. 9	
	$\vee$ $\vee$	
14.4. Packing group		
Packing group (ADR)	: III	
Packing group (IMDG)	: 111	
Packing group (IATA)	: III	
Packing group (ADN)	: 11	
Packing group (RID)	: 11	
14.5. Environmental hazards		
Dangerous for the environment	: Yes	
Marine pollutant	: Yes	
Other information	: No supplementary information available	
14.6. Special precautions for user		
- Overland transport Classification code (ADR)	· M6	
· · · · ·	: M6 - 274 225 601 275	
Special provisions (ADR)	: 274, 335, 601, 375	
Limited quantities (ADR)	: 51	
Excepted quantities (ADR)	: E1	
Packing instructions (ADR)	: P001, IBC03, LP01, R001	
Mixed packing provisions (ADR)	: MP19	
Portable tank and bulk container instructions (ADR)	: T4	
Portable tank and bulk container special	: TP1, TP29	
provisions (ADR)		
Tank code (ADR)	: LGBV	
Vehicle for tank carriage	: AT	
Transport category (ADR)	: 3	
Special provisions for carriage - Packages	: V12	
(ADR)		
Special provisions for carriage - Loading,	: CV13	
unloading and handling (ADR)	. 00	
Hazard identification number (Kemler No.)	: 90	
Orange plates	<sup>2</sup> 90	
	3082	
Tunnel restriction code (ADR)	: E	
- Transport by sea		
Special provisions (IMDG)	: 274, 335, 969	
Limited quantities (IMDG)	: 5L	
Excepted quantities (IMDG)	: E1	
15/07/2020	EN (English)	7/9

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

according to Regulation (EC) No. 1907/2006 (REACH) w	vith its amendment Regulation (EC) No. 453/2010
Packing instructions (IMDG)	: P001, LP01
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
- Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197
	: 9L
ERG code (IATA)	. 7L
- Inland waterway transport	
Classification code (ADN)	: M6
Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Carriage prohibited (ADN)	: No
Not subject to ADN	: No
- Rail transport	
Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90
Carriage prohibited (RID)	: No
14.7. Transport in bulk according to Anne	ex II of MARPOL 73/78 and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EC) No. 453/2010

Contains no REACH Annex XIV substances

VOC content

: 0 g/l

#### 15.1.2. National regulations

Hazardous to water (WGK 2)

#### Germany

Regulatory reference	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

#### Netherlands

SZW-lijst van kankerverwekkende stoffen SZW-lijst van mutagene stoffen	<ul><li>None of the components are listed</li><li>None of the components are listed</li></ul>
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Recommendations Danish Regulation	: Young people below the age of 18 years are not allowed to use the product

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

#### Indication of changes:

The information supplied has been based upon the current level of information available, for the purpose of specifying the requirements regarding environment, health and safety in conjunction with the product. They are not to be interpreted as a warranty.

#### Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.