

Issue date: 10/01/2014 Revision date: 24/07/2019 Supersedes version of: 10/01/2014

Version: 1.1

.1. Product identifier			
roduct form	: Mixture		
roduct name	: EWS-A		
.2. Relevant identified	d uses of the substance or mixture and use	s advised against	
.2.1. Relevant identified	d uses		
lo additional information ava	ilable		
.2.2. Uses advised aga lo additional information ava			
.3. Details of the sup idec idustrieweg 10 490 Balen - BELGIE +32 14 81 50 01 afety@sidec.be	plier of the safety data sheet .eu		
.4. Emergency teleph	one number		
Country	Organisation/Company	Address	Emergency number
Belgium	Centre Anti-Poisons/Antigifcentrum	Rue Bruyn 1 1120 Bruxelles/Brussel	+32 70 245 245
	c/o Hôpital Central de la Base - Reine Astrid		
ECTION 2: Hazards i	dentification		
ilassification according to kin Irrit. 2 H315 ye Irrit. 2 H319 kin Sens. 1 H317	he substance or mixture Regulation (EC) No. 1272/2008 [CLP]		
classification according to kin Irrit. 2 H315 ye Irrit. 2 H319 kin Sens. 1 H317 quatic Chronic 2 H411 ull text of H statements : see .2. Label elements	Regulation (EC) No. 1272/2008 [CLP]		
classification according to kin Irrit. 2 H315 ye Irrit. 2 H319 kin Sens. 1 H317 quatic Chronic 2 H411 ull text of H statements : see .2. Label elements	Regulation (EC) No. 1272/2008 [CLP] e section 16 ulation (EC) No. 1272/2008 [CLP]	1509	
kin Irrit. 2 H315 ye Irrit. 2 H319 kin Sens. 1 H317 quatic Chronic 2 H411 ull text of H statements : see .2. Label elements abelling according to Reg	Regulation (EC) No. 1272/2008 [CLP] e section 16 ulation (EC) No. 1272/2008 [CLP]	1509	
kin Irrit. 2 H315 ye Irrit. 2 H319 kin Sens. 1 H317 quatic Chronic 2 H411 ull text of H statements : see 2. Label elements abelling according to Reg lazard pictograms (CLP)	Regulation (EC) No. 1272/2008 [CLP] e section 16 ulation (EC) No. 1272/2008 [CLP] : GHS07 :		ıloromethyl)oxirane; Alkyl (C12-C14
ilassification according to kin Irrit. 2 H315 ye Irrit. 2 H319 kin Sens. 1 H317 quatic Chronic 2 H411 ull text of H statements : see .2. Label elements abelling according to Reg lazard pictograms (CLP)	Regulation (EC) No. 1272/2008 [CLP] a section 16 ulation (EC) No. 1272/2008 [CLP] : : : : : : : : : : : : :	thylidene)bis-, polymer with 2-(ch enyl glycidyl ether)-co-formaldehy ation. Ilergic skin reaction.	

EWS-A

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2- (chloromethyl)oxirane	(CAS-No.) 25068-38-6 (EC-No.) 500-033-5 (EC Index-No.) 603-074-00-8 (REACH-no) 01-2119456619-26	50 – 100	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Poly[(phenyl glycidyl ether)-co-formaldehyde]	(CAS-No.) 28064-14-4 (EC-No.) 608-164-0	25 – 50	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Alkyl (C12-C14) glycidyl ether	(CAS-No.) 68609-97-2 (EC-No.) 271-846-8 (EC Index-No.) 603-103-00-4 (REACH-no) 01-2119485289-22	10 – 25	Skin Irrit. 2, H315 Skin Sens. 1, H317
Specific concentration limits:			
Name	Product identifier	Specific co	oncentration limits
Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2- (chloromethyl)oxirane	(CAS-No.) 25068-38-6 (EC-No.) 500-033-5 (EC Index-No.) 603-074-00-8 (REACH-no) 01-2119456619-26) Skin Irrit. 2, H315) Eye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation	: Loosen tight clothing such as a collar, tie, belt or waistband. Remove person to fresh air and keep comfortable for breathing. Respiratory problems: consult a doctor/medical service. In case of loss of conscience place the victim in the recovery position. If not breathing, give artificial respiration.	
First-aid measures after skin contact	: Rinse immediately with plenty of water for 15 minutes. Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Wash skin with soap and water. When in doubt or if symptoms are observed, get medical advice. Wash clothing before re-using. Thoroughly clean shoes before re-using.	
First-aid measures after eye contact	: Rinse immediately with plenty of water, also under the eyelids. If eye irritation persists: Get medical advice/attention. Contact lenses should be removed.	
First-aid measures after ingestion	: Immediately give plenty of water. IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. If unconscious, place in the recovery position and seek medical advice. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Do not apply mouth-to-mouth resuscitation.	
4.2. Most important symptoms and effect	cts, both acute and delayed	
Symptoms/effects after inhalation	: No dangerous reactions known.	
Symptoms/effects after skin contact	: skin irritation. Allergic reactions. Redness.	
Symptoms/effects after eye contact	: Severe eye irritation. Pain. Lacrimation. Redness.	
Symptoms/effects after ingestion	: May cause corrosion or irritation of the linings of the mouth, throat, and gastrointestinal tract.	
4.3. Indication of any immediate medica	I attention and special treatment needed	
Treat symptomatically. Ingestion of large quantit	ies: immediately to hospital.	
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	: carbon dioxide (CO2). extinguishing powder. high volume water jet or water based extinguishing media. In case of significant fire close by : Strong water jet.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard	: Toxic to aquatic life with long lasting effects. On heating there is a risk of a build-up of pressure in hermetically sealed containers or tanks.	
Hazardous decomposition products in case of fire	: carbon oxides (CO and CO2). Halogenated compounds.	
5.3. Advice for firefighters		
Protection during firefighting	: Compressed air/oxygen apparatus. Flame Resistant Coveralls.	
16/07/2020	EN (English) 2/9	

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

-		
Other inf	ormation	: Keep public away. Provision to contain effluent from fire extinguishing. Do not allow run-off from fire fighting to enter drains or water courses. Dispose in a safe manner in accordance with local/national regulations.
SECTI	ON 6: Accidental release meas	ures
6.1.	Personal precautions, protective equ	ipment and emergency procedures
General	measures	: Wear suitable protective clothing. Keep public away. Ensure adequate air ventilation.
6.1.1.	For non-emergency personnel	
Protectiv	e equipment	: Evacuate area. Evacuate unnecessary personnel.
6.1.2.	For emergency responders	
Protectiv	e equipment	: Concerning personal protective equipment to use, see section 8.
6.2.	Environmental precautions	
Contain	the spilled material by bunding. Prevent li	quid from entering sewers, watercourses, underground or low areas. Carefully collect remainder.
6.3.	Methods and material for containmer	t and cleaning up
For conta	ainment	: Stop leak without risks if possible. Dispose of at a licensed waste collection centre. Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Avoid release to the environment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Concerning personal protective equipment to use, see section 8. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid release to the environment. Store in the original container and with the original cap.
Hygiene measures	: Do not eat, drink or smoke during work. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Take off contaminated clothing and wash it before reuse. Concerning personal protective equipment to use, see section 8.
7.2. Conditions for safe storage, include	ing any incompatibilities
Technical measures	: Store according to local legislation.
Storage conditions	: Store in the original container and with the original cap. Keep container closed when not in use. Do not re-use empty containers. Store in dry, cool, well-ventilated area.
Information on mixed storage	: not necessary.
Storage area	The floor of the depot should be impermeable and designed to form a water-tight basin. Store in a dry, cool and well-ventilated place. Store in tightly closed containers. Smoking, eating and drinking should be prohibited in areas of storage and use.
Special rules on packaging	: Containers which are opened should be properly resealed and kept upright to prevent leakage.
7.3. Specific end use(s)	
N	

No supplementary information available.

SECT	TION 8: Exposure controls/p	personal protection	
8.1.	Control parameters		
No additional information available			
8.2.	Exposure controls		
Approp	oriate engineering controls	: Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Always wash your hands immediately after handling this product, and once again before leaving the workplace. Avoid contact with skin and eyes. Use appropriate ventilation. If handling results in dust generation or high temperatures, local exhaust ventilation should be provided to insure that exposure to dust or decomposition products does not exceed the exposure recommended levels.	
Person	al protective equipment	: Gloves. Protective goggles.	

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hand protection	:	Impermeable protective gloves. Chemically resistant protective gloves. The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Since the product consists of several substances, it is possible to estimate the durability of the glove material beforehand and it therefore needs to be tested before use. Butyl rubber gloves. Nitrile rubber gloves
Eye protection	:	Protective goggles
Skin and body protection	:	Wear suitable protective clothing. Impervious footwear must be worn
Respiratory protection	:	not necessary. Only approved supplied air or self-contained breathing apparatus operated in positive pressure mode are satisfactory, if exposure can exceed the exposure limit value



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and o	chemical properties
Physical state	: Liquid
Colour	: yellowish.
Odour	: characteristic.
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: > 200
Flash point	: > 100
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1,12 kg/l
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 700 mPa⋅s
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECT	ION 10: Stability and reactivity			
10.1.	Reactivity			
Stable u	Stable under normal conditions.			
10.2.	Chemical stability			
Product	is stable.			
10.3.	Possibility of hazardous reactions			
No dang	gerous reactions known under normal conditions of use.			
10.4.	Conditions to avoid			
No supp	plementary information available.			
10.5.	Incompatible materials			
No supp	plementary information available.			

EWS-A

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.6. Hazardous decomposition products

release of irritant gases/vapours.

11.1. Information on toxicological	effects	
Acute toxicity	: Not classified	
Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxirane (25068-38-6)		
LD50 oral rat	11400 mg/kg	
LD50 dermal rat	2000 mg/kg	
Alkyl (C12-C14) glycidyl ether (68609	-97-2)	
LD50 oral rat	17,1 mg/kg	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitisation	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
EWS-A		
Viscosity, kinematic	625 mm²/s	

SECTION 12: Ecological information

12.1. Toxicity

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxirane (25068-38-6)		
LC50 fish 1	1,3 mg/l	
EC50 Daphnia 1	2,1 mg/l	
NOEC chronic crustacea	0,3 mg/l	
Alkyl (C12-C14) glycidyl ether (68609-97-2)		
LC50 fish 1	> 1,8 g/l Rainbow trout,donaldson trout	
EC50 Daphnia 1	7,2 mg/l	
LC50 fish 2	> 5 g/l bluegill	

12.2. Persistence and degradability

12.2. Persistence and degradability		
EWS-A		
Persistence and degradability	Product is practically not biodegradable.	
12.3. Bioaccumulative potential		
EWS-A		
Bioaccumulative potential	No supplementary information available.	
Phenol, 4,4'-(1-methylethylidene)bis-, polymer	r with 2-(chloromethyl)oxirane (25068-38-6)	
Partition coefficient n-octanol/water (Log Pow)	2,64 – 3,78	
Alkyl (C12-C14) glycidyl ether (68609-97-2)		
Partition coefficient n-octanol/water (Log Pow)	3,77	
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Other adverse effects		
Other adverse effects	: Toxic to fish.	
Additional information	: Hazardous to water (WGK 2). Do not flush into surface water or sewer system. Toxic to aquatic organisms	

EWS-A

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Sewage disposal recommendations	: Must follow special treatment according to local regulation. Do not allow into drains or water courses.	
Product/Packaging disposal recommendations	: Do not re-use empty containers without proper cleaning or reconditioning.	
Additional information	: Hazardous waste. Recycling is preferred to disposal or incineration.	
SECTION 14: Transport information		
In accordance with ADR / RID / IMDG / IATA / A	DN	
14.1. UN number		
UN-No. (ADR)	: 3082	
UN-No. (IMDG)	: 3082	
UN-No. (IATA)	: 3082	
UN-No. (ADN)	: 3082	
UN-No. (RID)	: 3082	
14.2. UN proper shipping name		
Proper Shipping Name (ADR)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.	
Proper Shipping Name (ADN)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	
Proper Shipping Name (RID)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	
Transport document description (ADR)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin), 9, III, (-)	
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epoxy resin), 9, III, MARINE POLLUTANT	
14.3. Transport hazard class(es)		

14.3.	Transport hazard class(es)	
ADR		
Transport	hazard class(es) (ADR)	: 9
Danger lab	pels (ADR)	: 9



IMDG

Transport hazard class(es) (IMDG)	
Danger labels (IMDG)	



ΙΑΤΑ

Transport hazard class(es) (IATA) Danger labels (IATA)



ADN

Transport hazard class(es) (ADN)

:9 :9

: 9


: 9

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: 9

: 9

Danger labels (ADN)



RID

14.6.

Transport hazard class(es) (RID) Danger labels (RID)

Special precautions for user



14.4. Packing group	
Packing group (ADR)	: III
Packing group (IMDG)	: III
Packing group (IATA)	: 111
Packing group (ADN)	: III
Packing group (RID)	: 111
14.5. Environmental hazards	
Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

- Overland transport	
Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	90 3082
Tunnel restriction code (ADR)	: -
EAC code	: •3Z
- Transport by sea	
Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5L
16/07/2020	EN (English)

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH) with	th its amendment Regulation (EU) 2015/830
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP2, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A
- Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L
- Inland waterway transport	
Classification code (ADN)	: M6
Special provisions (ADN)	: 274, 335, 375, 601
Limited quantities (ADN)	: 5L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: Т
Equipment required (ADN)	: PP
Number of blue cones/lights (ADN)	: 0
Carriage prohibited (ADN)	: No
Not subject to ADN	: No
- Rail transport	
Classification code (RID)	: M6
Special provisions (RID)	: 274, 335, 375, 601
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Special packing provisions (RID)	: PP1
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBV
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW31
Colis express (express parcels) (RID)	: CE8
Hazard identification number (RID)	: 90
Carriage prohibited (RID)	: No
14.7. Transport in bulk according to Anne	ex II of MARPOL 73/78 and the IBC Code

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no REACH Annex XIV substances

15.1.2. National regulations

Hazardous to water (WGK 2)

Germany

Regulatory reference Hazardous Incident Ordinance (12. BImSchV)	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1) : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)
Netherlands	
SZW-lijst van kankerverwekkende stoffen	: Alkyl (C12-C14) glycidyl ether is listed
SZW-lijst van mutagene stoffen	: Alkyl (C12-C14) glycidyl ether is listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid	: None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling	: None of the components are listed

Denmark

Recommendations Danish Regulation

: Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

The information supplied has been based upon the current level of information available, for the purpose of specifying the requirements regarding environment, health and safety in conjunction with the product. They are not to be interpreted as a warranty.

Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.