

TOEPASSINGEN

- Siergrindvloer
- Epoxy-mortelvloer
- Anti-slipvloer
- Acrylaatvloer
- Wandbekleding
- Logo's
- Zwembaden
- Aquariums
- Terrariums
- Dakbedekking
- Tuindecoratie
- Speelzand
- Tennisvelden

APPLICATIONS

- Tapis de pierre
- Sol lissé
- Sol antidérapant
- Sol acrylique
- Revêtement du mur
- Logo
- Piscines
- Aquarium
- Terrarium
- Couverture du toit
- Décoration du jardin
- Bac à sable
- Court de tennis

ANWENDUNGEN

- Steinteppich
- Mörtelböden
- Ant-Rutsch-Böden
- Akrylböden
- Wandverkleidung
- Logo
- Schwimmbad
- Aquarium
- Terrarium
- Dachdeckung
- Gartendekoration
- Sandkasten
- Tennisplatz

APPLICATIONS

- Quartz carpet
- Trowelled mortar flooring
- Anti-skid-flooring
- Acrylic floors
- Wall-lining
- Logo
- Swimming-pool
- Aquarium
- Terrarium
- Roofing material
- Garden-decoration
- Sand-pit
- Tennis courts

SIDEC
COLORQUARTZ | RESIN FLOORS (EPOXY - PU - ACRYLIC)

Industrieweg 10
Industrieterrein Berkebossen
B-2490 Balen
Tel. +32(0)14/81 50 01
Fax +32(0)14/81 64 84
sales@sidec.be
www.sidec.eu

DESIGN, PHOTOGRAPHY & PRINT // WWW.TWINDSIGNBVBA.BE


COLORGUIDE

SIERGRINDVLOER • TAPIS DE PIERRE • STEINTEPPICH • QUARTZ CARPET






S3428 2-3 mm



S3102 2-3 mm



SC3100 2-3 mm



SC3002 3-4 mm



S3124 2-3 mm



S1448 2-3 mm



S1440 2-3 mm



S1004 2-3 mm



S5420 2-3 mm



S5402 2-3 mm



S2122 2-3 mm




S4244 2-3 mm



S5400 2-3 mm



S5231 2-3 mm



SC5204 2-3 mm



S5025 2-3 mm



S5046 2-3 mm




S4028 2-3 mm




NATUREL 2-3 mm



S5053 2-3 mm



S5054 2-3 mm



S5106 2-3 mm



S4020 2-3 mm



S4213 2-3 mm



S1458 2-3 mm



SC1430 2-3 mm



SC1214 2-3 mm



S1006 2-3 mm




S5332 3-4 mm



S1320 2-3 mm



SM10960 2-3 mm




S1476 2-3 mm






S4206 2-3 mm S4202 2-3 mm SC4131 2-3 mm



S4024 2-3 mm S4010 2-3 mm S4006 3-4 mm




S9212 3-4 mm S7116 2-3 mm S6500 2-3 mm




S7102 2-3 mm SC7054 2-3 mm S7030 2-3 mm S7020 2-3 mm S7046 2-3 mm



S7024 2-3 mm S7026 2-3 mm S7028 2-3 mm S6540 2-3 mm S9214 2-3 mm




S6332 2-3 mm S6120 2-3 mm S6108 2-3 mm




S6028 2-3 mm S6024 3-4 mm S6208 2-3 mm S6000 2-3 mm S5546 2-3 mm



S8208 2-3 mm S8212 2-3 mm S8224 2-3 mm S8268 1-2 mm S8262 2-3 mm



S8104 2-3 mm S8120 2-3 mm S8048 2-3 mm



S8200 2-3 mm S8204 2-3 mm S8044 2-3 mm





S8040 2-3 mm



S8020 2-3 mm



S8035 2-3 mm



S8010 2-3 mm



SM10960 2-3 mm




SM20511 2-3 mm



SM10930 2-3 mm



SM10920 2-3 mm



SM10940 2-3 mm



SM10910 3-4 mm



S8014 2-3 mm



S7050 2-3 mm



S7204 2-3 mm



S7100 2-3 mm



S7124 2-3 mm



SD9230 2-3 mm



SM10100 2-3 mm




S8222-EP-Z25 3-4 mm




S9202 2-3 mm




SD9026 2-3 mm



SM10610 2-3 mm



SM10400 2-3 mm



SM10600 2-3 mm



SM10840 2-3 mm



SC9008 2-3 mm



SF50 2-3 mm



SF30 1-2 mm



Standaard korrelmaten:
 Tailles de grain standard:
 Standard Körnungen:
 Standard grain sizes:

- 0,1 - 0,3
- 0,3 - 0,8
- 0,4 - 1,2
- 0,8 - 1,2
- 1,0 - 2,0
- 2,0 - 3,0
- 3,0 - 4,0
- 4,0 - 6,0
- 5,0 - 8,0
- K 0,4 - 0,8
- K 0,8 - 1,2
- K 1,0 - 1,8
- K 2,0 - 3,0